CARTER COUNTY AGRICULTURE & NATURAL RESOURCES NEWSLETTER



94 Fairground Drive Grayson, KY 41143 Phone: (606) 474-6686 Fax: (606) 474-8542 extension.ca.uky.edu

February 2023 Upcoming Events

Denotes events where preregistration is required. Call 474-6686 or email Rebecca.k@uky.edu to register.

February 2 @ 10:00 AM *Beef Quality Care & Assurance Training—Extension Office* *Private Pesticide Applicator Training—Extension Office* February 2 @ 5:30 PM February 6 **Deadline to complete Ag Census** February 7 @ 3:00 PM *Poultry Webinar—Online* February 7 @ 6:00 PM Little Sandy Beekeepers- Extension Office February 13 @ 4:00 PM Ag Advancement Council—Extension Office February 14 @ 8:00 PM *Beef Webinar—Online* February 23 @ 10:00 AM **Tobacco GAP Training**—Mt. Sterling February 23 @ 5:30 PM *Woods & Wildlife for Your Wallet—Greenup Co. High School* February 27 @ 4:30 PM **Deadline to Order Strawberry, Raspberry & Blackberry Plants** February 28 @ 6:00 PM Northeast Area Livestock Association Meeting—Extension Office March 1 @ 6:00 PM **Tobacco GAP Training**—Maysville March 2 @ 1:00 PM Hike & Learn—Cascade Cave Flashlight Tour—Carter Caves March 7 @ 6:00 PM Little Sandy Beekeepers – Extension Office March 16 @ 10:00 AM *Beef Palpation Clinic—Extension Office & Suttles Farm* March 20 @ 2:00 PM *Private Pesticide Applicator Training—Extension Office* March 20 @ 6:30 PM Farmer's Market Vendor Training—Extension Office April 1 @ 9:00 AM *Sheep & Goat Predator Control Workshop—Extension Office & Knipp Farm*

Enjoy your newsletter,

Repecca Konopla



Rebecca Konopka, Carter County Extension Agent for Agriculture & Natural Resources Education

Cooperative Extension Service Agriculture and Natural Resources Family and Consumer Sciences 4-H Youth Development Community and Economic Development Educational programs of Kentucky Cooperative Extension serve all people regardless of economic or social status and will not discriminate on the basis of race, color, ethnic origin, national origin, creed, religion, political belief, sex, sexual orientation, gender identity, gender expression, pregnancy, marital status, genetic information, age, veteran status, or physical or mental disability. University of Kentucky, Kentucky State University, U.S. Department of Agriculture, and Kentucky Counties, Cooperating.





Northeast Area Livestock

Association Meetings

February 28th @ 6:00 PM

Speaker: Dr. Wes Whitley, Bluegrass Animal Clinic & Sherri Chapman, Multimin USA Topic: Livestock Antibiotic Changes & **Multimin Presentation** Meal Sponsored by: Multimin March 28th @ 6:00 PM

Speaker: Dan Miller, KY Beef Network

Little Sandy Beekeepers Association Meetings

February 7th@ 6:00 PM Planning for the Club Year March 7th @ 6:00 PM Speaker: Dorothey Morgan **Topic: Finding Swarms** April 4th @ 6:00 PM Speaker: Caroline Kane **Topic: Viruses & Nutrition Supplements**

Farmer's Market Vendor Training-Senior & WIC Vouchers

March 20th @ 6:30 PM

This annual training is required for anyone who plans to accept Senior, WIC, & Double Dollar vouchers at the Carter County Farmer's Market in 2023.

Immediately following the training we will have a planning discussion for marketing ideas and events for the 2023 season.



Beef Webinar

February 14th @ 8:00 PM - Where is the cheap feed? Dr. Jeff Lehmkuhler will discuss feeding strategies to mitigate current high feed costs. We well also get a market update from Dr. Kenny Burdine. If you have not previously registered for any of the beef webinars email dbullock@uky.edu with Beef Webinar in the subject line and your name and county in the message.

University of Kentucky College of Agriculture, Food and Environment **Beef Palpation Clinic Cooperative Extension Service** March 16th@ 10:00 AM **Carter County Extension Office** Call 474-6686 to register. Space is limited. Come join us to learn how to pregnancy check cattle via rectal palpation. Agenda: **10:00–Meet at Extension Office for Instructions** 11:15-Lunch 11:45—Travel to Farm for Hands-on Experience **Palpation (and any other veterinary practice) may only be performed on your own farm with your own animals without a veterinary license.* 2



First Thursday of the Month

March 2nd @ 1:00 PM

Carter Caves State Resort Park

Cascade Cave Flashlight Tour

*Meet in the Cascade Cave Parking Lot. *Flashlights will be provided.

*Wear closed-toe shoes and bring your own snacks & drinks.

Walking Distance & Difficulty: 3/4 mile with 225 steps, some stooping

Duration: ~75 minutes

Temperature: 50-60 degrees

Highlights: large passageways, grandeur formations, 30+ foot underground waterfall

Next Month's Hike: April 6th @ 1:00 PM

Carter Caves Natural Bridge & Stream Stomp

Sign up to receive Hike & Learn reminders

updates, and cancellation notifications by scanning this code. All Hike & Learn activities are free.



Tobacco GAP Options

Option 1: Growers will have the opportunity to complete 2023 Annual GAP Training online through GAP Connection on their Grower Dashboard. Online training will offer growers the opportunity to complete training at their leisure on their time schedule from their home or farm office. A variety of crop and environmental and labor management video modules will be availa-



ble for growers to choose. Growers must watch a certain number of the videos and complete a short quiz for each video to receive credit for training. Online Annual GAP Training launched on January 18,

2023. Growers need to log in on their grower dashboard and complete the required number of modules.

Option 2: In-person meeting. GAP connections has set up a limited number of in-person meetings in Kentucky. The closest trainings to us are:

&

February 23rd @ 10:00 AM —Mt. Sterling

March 1st @ 6:00 PM—Maysville



Who: Carter & Elliott County Extension Service and the Southeast Kentucky Sheep Producers Association (SEKSPA).

Guard Animal Management

When: Saturday, April 1, 2023. Registration is from 8:30-9:00. At 9:00 am we will leave in convoy to an on-farm demonstration.

Where: Registration is at the Carter Co Extension Office at 94 Fairground Drive, Grayson, KY and the on-farm demonstration and then return to the Extension Office for lunch and classroom instruction.

Co-sponsored by: Tarter & Paris Stockyards.

Predator Control &

Workshop & Dinner

University of Kentucky College of Agriculture, Food and Environment Cooperative Extension Servic Agriculture and Natural Resour

Featured Speakers: UK Wildlife Specialist Dr. Matt Springer, KDA Veterinarian Dr. Beth Johnson and experts in guard animal management, predator hunting/snaring and covote/bobcat trapping.

Registration Required. Please register by calling the Carter County Extension Office at 606-474-6686 by March 20th.

\$15.00 per family (+\$5.00 for each child over 12). Your registration fee will include a delicious lamb lunch with sides and a One-Year Membership to SEKSPA

This workshop qualifies for CAIP education credits

Poultry Webinars

Reproductive issues with small and backyard poultry flocks - February 7th @ 3:00 PM Raising turkeys in small and backyard flocks - March 7th

@ 3:00 PM

Visit https://poultry.extension.org/webinars

Farm Service Agency News

Christin Herbst—*County Executive Director*—*Grayson & Vanceburg USDA Service Centers* <u>New Programs Released – Emergency Relief Program (ERP) Phase 2 and Pandemic Assistance Revenue</u> <u>Program (PARP) -</u> There are two new programs that FSA has released information. We will refer to them as ERP Phase 2 and PARP. Both of these programs are revenue-based. ERP Phase 2 focuses solely on crops, however, PARP focuses on crops AND LIVESTOCK. In short, if crop or livestock producers suffered at least a 15% loss in gross revenue in calendar year 2020 when comparing to either year 2018 or 2019 (whichever loss is greater), they need to contact us and sign up. Producers will need to utilize their Schedule F to determine these losses. We've been told these are the final pandemic programs we will administer. The sign-up period for both ERP Phase 2 and PARP is January 23 – June 2, 2023.

Changes to Insurance and Disaster Programs—FSA has released some changes to some of our regular programs. For our Non-insured Crop Disaster Program (NAP), which is an insurance option that can provide a payment to crops lost due to a natural disaster, every producer that is in our FSA system that is considered "Socially Disadvantaged" can get automatic coverage for free. Socially Disadvantaged farmers are considered groups that have been subject to racial, ethnic, or gender prejudice because of their identity—racial minorities, Hispanics, and women. The free coverage can also apply to limited resource farmers, beginning farmers, and veterans (must have first obtained status as a veteran during the most recent 10-year period). *Agricultural Risk Coverage/Price Loss Coverage (ARC/PLC) 2023 Enrollment is now Open!* Contact the Grayson USDA Service Center, (606) 474-5183, to enroll your base acres in ARC/PLC for 2023. The deadline to enroll is March 15, 2023.

Kentucky Sales Tax on Utilities

Jerry Pierce. *Economic and Policy Update* (23):1, Department of Agricultural Economics, UK, Jan 10, 2023. A legislative change was made to the qualifications for residential use exemption from sales tax on utilities. Effective January 1, 2023, the resident at a specific service address is responsible for declaring it as their place of domicile and the utility services exempt for residential use. Kentucky sales tax will be charged for utility services furnished to any location that is not your place of domicile, even if it was formally classified as residential. The 6% sales tax applies to the sale of water and sewer, electricity, and heating gas and fuels used or delivered.

"Place of domicile" is your primary residence. The legislation says it is "the place where an individual has his or her legal, true, fixed, and permanent home and principal establishment, and to which, whenever the individual is absent, the individual has the intention of returning."

The residential use exemption applies to all utilities serving the primary residence. Generally, everything on the meter or the tank that serves your primary residence qualifies for the exemption.

In general, an existing customer with only one service address should not be contacted by the utility providers. The qualification for residential exemption will simply continue. If your utility provider requested you complete the Declaration of Domicile form follow the company's instructions. Contact them if you have questions. If you have utility service for a second home, a separate farm or business, or other nonresidential property you should fill out the form required by your utility providers to declare which meter serves your primary residence.

Multiple meters at your primary residence may qualify for the residential exemption. Separate meters for garages, outbuildings, security lighting, and other non-commercial uses that are a part of your residence could be exempt from the sales tax. Contact your utility providers.

Multiple properties you own may qualify for a residential exemption. Each property must be the place of domicile for different Kentucky residents and you must submit a certificate of domicile to the utility service providers for each separately metered account.

If farm buildings and the primary residence are on the same meter or tank and the utility service was previously classified as residential, you should continue to receive residential use tax treatment. If service is switched to separate meters or to another owner, only the primary residence will qualify for the residential use exemption.

Farm Exemption—Utility services to farms separate from the primary residence may be exempt from some utility sales tax. The Agriculture Exemption License Number makes qualified farms exempt from sales tax on natural gas, LP, and water used exclusively and directly in qualified farming operations. Provide a copy of your Ag Exemption Certificate to your utility providers to verify the exemption with them. The exemption for heating fuels does not apply to raising horses. There is a separate exemption for water only sold to a business raising horses. Use Form 51A157.

The Agriculture Exemption License Number *does not* include an exemption from sales tax on electricity. Farmers who pay utilities for a farm employee may qualify for the residential exemption. The employee must complete the Declaration of Domicile Form <u>51A380</u>. If employees are housed in a multi-unit dwelling with a master meter, the farmer should complete the Landlord Declaration Form 51A381 and have each resident complete a Declaration of Domicile form. The residential exemption does not require the employee to pay directly for the utility services.

For more information, see the <u>Department of Revenue FAQ</u> at <u>https://tinyurl.com/2zzdnwvz</u>. Contact the Department of Revenue at 502-564-5170 or <u>DOR.Webresponsesalestax@ky.gov</u>.



Weeds of the Month:

Each month this year, we'll feature common pasture weeds and the preferred time for herbicide treatment. Keep the charts on the next two pages handy throughout the year for the recommended chemical and mowing options.

Weeds to Target in February: Common Burdock, Buttercup, Common Chickweed, Chicory, Purple Deadnettle, Dock, Henbit, Bull Thistle, Musk Thistle, & Plumeless Thistle



Broadleaf Weeds of Kentucky Pastures



University of Kentucky College of Agriculture, Food and Environment Cooperative Extension Service

J.D. Green, Plant and Soil Sciences



Spiny Amaranth



Tall Ironweed



Common Milkweed



Buckhorn Plantain



Canada Thistle



Bull Thistle



Cocklebur

Poison Hemlock

Sericea Lespedeza

Multiflora Rose

Lanceleaf Ragweed





Hemp Dogbane



Jimsonweed



Perilla Mint



Common Ragweed



Musk Thistle

Curly Dock



Horsenettle



Marshelder



Maypop Passionflower



Trumpetcreeper





Cooperative Extension Service | Agriculture and Natural Resources | Family and Consumer Sciences | 4-H Youth Development | Community and Economic Development

Response of Pasture Weeds to Herbicides and Mowing

Weed SpeciesTerferred Time for Herbicide Treatment?Terferred Time for Herbicide											8112			
Amaranth, Spiny (Pigweed)AMay-JulyF/GF/GGGGF/GG<	Weed Species	Life Cycle ¹		2,4-D (various products)	dicamba (Clarity, etc.)	dicamba+ 2,4-D (Weedmaster etc.)	Crossbow	PastureGard	DuraCor			metsulfuron ³ (MSM60, Patriot, etc.)	Sharpen	MOWING ⁴
Burdock, CommonBFeb-MarGFGG <th< td=""><td>Amaranth, Spiny (Pigweed)</td><td>Α</td><td>May-July</td><td>F/G</td><td>F/G</td><td>G</td><td>G</td><td>F/G</td><td>G</td><td>G</td><td>G</td><td>G</td><td>-</td><td>Х</td></th<>	Amaranth, Spiny (Pigweed)	Α	May-July	F/G	F/G	G	G	F/G	G	G	G	G	-	Х
Burdock, CommonBFeb-MarGFGG <th< td=""><td>Aster spp. (White Heath Aster)</td><td>Α</td><td>July-Sept</td><td>F/G</td><td>G</td><td>G</td><td>G</td><td>18</td><td>2</td><td>(=)</td><td>14</td><td>F</td><td>Ρ</td><td>R</td></th<>	Aster spp. (White Heath Aster)	Α	July-Sept	F/G	G	G	G	18	2	(=)	14	F	Ρ	R
Buttercup spp.AFeb-MarGF/GGGFGGGCarrot, Wild (Queen Anne's Lace)BMay-JunePF/GF/GF/GFGGG <td></td> <td></td> <td></td> <td>G</td> <td>F</td> <td>G</td> <td>G</td> <td>G</td> <td>G</td> <td>G</td> <td>G</td> <td>F</td> <td>Р</td> <td>R</td>				G	F	G	G	G	G	G	G	F	Р	R
$ \begin{array}{c} Carrot, Wild (Queen Anne's Lace) B & May-June F/G F/G F/G F/G F/G F G G G G G G \\ \mbox{Chicory P Feb-Mar or Aug-Nov F/G F/G G G G G G G G G G G G \\ \mbox{Chicory P Feb-Mar or Aug-Nov F/G F/G G G G G G G G G G G G \\ \mbox{Clover, White P May-Aug F G G G G G G G G G G G G \\ \mbox{Common A May-July G G G G G G G G G G G G G \\ \mbox{Dandelion P Oct-Nov or Mar-Apr G G G G G F G G G G G G \\ \mbox{Deadnettle, Purple A Feb-Mar P F/G G F G G G F G G G G G \\ \mbox{Dogane, Hemp P P May-Aug P/F F F F/G G F/G G G G G G \\ \mbox{Dogane, Hemp P P May-Aug P/F F F F G G G P/F P/F P/F \\ \mbox{Garlie, Wild P Nov or Mar-Apr F F F F F F P F F F F/G G F F/G G G G G G \\ \mbox{Doglane, Hemp P P May-Aug P/F F F F F F P F F F F F F F F F F F F$		Α	Feb-Mar	G	F/G	G	G	F	G	G	G	G	P/F	Х
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Carrot, Wild (Queen Anne's Lace)		May-June	F/G		F/G	F/G	F	G	G	G	G	Р	R
Clover, WhitePMay-AugFGG	Chickweed, Common	Α	Nov or Feb-Mar	Р	F/G	G	F	G	G	G	G	G	P/F	Х
Cocklebur, CommonAMay-JulyGG	Chicory	Р	Feb-Mar or Aug-Nov	F/G	F/G	G	G	G	G	G	G	F/G	Р	R
Cocklebur, CommonAMay-JulyGG	Clover, White	Р	May-Aug	F	G	G	G	G	G	G	G	G	Р	Х
DandelionPOct-Nov or Mar-AprGG <td></td> <td>G</td> <td>G</td> <td>R</td>												G	G	R
Deadnettle, PurpleAFeb-MarPF/GGFGGGGGGDock, Curly or BroadleafPFeb-AprP/FFFF/GGGGGGDogbane, HempPMay-AugP/FFFGGP/FP/FP/FP/FP/FGarlic, WildPNov or Mar-AprFFFFFPP/FF/GF/GGoldenrodspp.PJune-AugFF/GF/GF/GF/GF/GF/GF/GF/GHemlock, PoisonBNov or Mar-AprF/GF/GF/GF/GF/GF/GF/GF/G-Henseed, TallAFeb-MarPF/GG	Dandelion	Р	Oct-Nov or Mar-Apr	G	G	G	G	F/G	G	G	G	G	Р	Х
Dogbane, HempPMay-AugP/FFFFGGP/FP/FP/FGarlic, WildPNov or Mar-AprFFFFFPFFF/GGoldenrodspp.PJune-AugFF/GF/GGFFF/GF/GHemlock, PoisonBNov or Mar-AprF/GF/GF/GF/GF/GF/GF/GF/GHenbitAFeb-MarPF/GGGGGGGGHorsenettlePJuly-AugPF/FFFP/FGGGGGGJimsonweedAMay-JulyFGGGFF/GGG<	Deadnettle, Purple	Α	Feb-Mar	Р	F/G	G	F	G	G	G	G	G	100	Х
Garlic, WildPNov or Mar-AprFFFFFPFFFFGoldenrodspp.PJune-AugFF/GF/GGFFF/GF/GHemlock, PoisonBNov or Mar-AprF/GF/GF/GF/GF/GF/GF/GF/GHenbitAFeb-MarPF/GGFF/GGGGGGHorsenettlePJuly-AugPPFFGGGGGGGIronweed, TallPJune-AugPFFGG <td< td=""><td>Dock, Curly or Broadleaf</td><td>Р</td><td>Feb-Apr</td><td>P/F</td><td>F</td><td>F/G</td><td>G</td><td>F/G</td><td>G</td><td>G</td><td>G</td><td>G</td><td>Р</td><td>Х</td></td<>	Dock, Curly or Broadleaf	Р	Feb-Apr	P/F	F	F/G	G	F/G	G	G	G	G	Р	Х
Goldenrodspp.PJune-AugFF/GF/GGGFFF/GF/GHemlock, PoisonBNov or Mar-AprF/GF/GF/GF/GPF/GF/G-HenbitAFeb-MarPF/GGFF/GGGGGGHorsenettlePJuly-AugPP/FFFP/FGGGGGGIronweed, TallPJune-AugPFFGG<	Dogbane, Hemp	Р	May-Aug	P/F	F	F	G	G	P/F	P/F	P/F	Р	Р	S
Goldenrodspp.PJune-AugFF/GF/GGGFFF/GF/GF/GHemlock, PoisonBNov or Mar-AprF/GF/GF/GF/GPF/GF/G-HenbitAFeb-MarPF/GGFF/GGGGGGHorsenettlePJuly-AugPP/FFFP/FGGGGGGIronweed, TallPJune-JulyFGG <td< td=""><td>Garlic, Wild</td><td>Р</td><td>Nov or Mar-Apr</td><td>F</td><td>F</td><td>F</td><td>F</td><td>Р</td><td>Ē</td><td>F</td><td>F/G</td><td>G</td><td>Р</td><td>Х</td></td<>	Garlic, Wild	Р	Nov or Mar-Apr	F	F	F	F	Р	Ē	F	F/G	G	Р	Х
Hemlock, PoisonBNov or Mar-AprF/GF/GF/GF/GPF/GPF/GF/GPF/G <t< td=""><td>Goldenrod spp.</td><td>Р</td><td></td><td>F</td><td>F/G</td><td>F/G</td><td>G</td><td>F</td><td>F</td><td>F/G</td><td>F/G</td><td>Р</td><td>Р</td><td>S</td></t<>	Goldenrod spp.	Р		F	F/G	F/G	G	F	F	F/G	F/G	Р	Р	S
HenbitAFeb-MarPF/GGFF/GGG <td></td> <td>В</td> <td>Nov or Mar-Apr</td> <td>F/G</td> <td>F/G</td> <td>F/G</td> <td>F/G</td> <td>Р</td> <td>F/G</td> <td>F/G</td> <td></td> <td>F</td> <td>Р</td> <td>R</td>		В	Nov or Mar-Apr	F/G	F/G	F/G	F/G	Р	F/G	F/G		F	Р	R
Ironweed, TallPJune-AugPFFGGG	Henbit	Α		Р	F/G	G	F	F/G	G	G	G	G	-	Х
JimsonweedAMay-JulyFGGGG-GGGLespedeza, SericeaPJune-JulyPP/FP/FP/FGGP/FP/FP/FF/GMarshelder (Sumpweed)AMay-JulyF/GF/GGGFGGGGGMilkweed, CommonPJuly-SeptPFP/FFP/FP/FP/FP/FP/FP/FMint, PerillaAMay-JulyFFF/GGGFFF/GMultiflora RosePApr-June or SeptPPPFGGFFF/GPassionflower, MaypopPMay-JulyPPPP/FFPPPPlantain, Broadleaf or BuckhornPOct-Nov or Mar-AprF/GFF/GGGGGGFF/GPokeweed, CommonAMay-JulyFF/GG <td>Horsenettle</td> <td>Р</td> <td>July-Aug</td> <td>Р</td> <td>P/F</td> <td>F</td> <td>F</td> <td>P/F</td> <td>G</td> <td>G</td> <td>F/G</td> <td>F</td> <td>Р</td> <td>Х</td>	Horsenettle	Р	July-Aug	Р	P/F	F	F	P/F	G	G	F/G	F	Р	Х
Lespedeza, SericeaPJune-JulyPP/FP/FGGP/FP/FP/FF/GMarshelder (Sumpweed)AMay-JulyF/GF/GGGFGGGGGMilkweed, CommonPJuly-SeptPFP/FF/FP	Ironweed, Tall	Р	June-Aug	Р	F	F	G	G	G	G	G	Ρ	Р	S
Marshelder (Sumpweed)AMay-JulyF/GF/GGGGFGGG <th< td=""><td>Jimsonweed</td><td>Α</td><td>May-July</td><td>F</td><td>G</td><td>G</td><td>G</td><td>а 1251</td><td>G</td><td>G</td><td>G</td><td>-</td><td>9723</td><td>R</td></th<>	Jimsonweed	Α	May-July	F	G	G	G	а 12 5 1	G	G	G	-	9 7 23	R
Milkweed, CommonPJuly-SeptPFP/FFP/FP/FP/FP/FP/FMint, PerillaAMay-JulyFFFF/GGF/GGGGGMultiflora RosePApr-June or SeptPPPFGGFFF/GPassionflower, MaypopPMay-JulyPPPPP/FFPPPPlantain, Broadleaf or BuckhornPOct-Nov or Mar-AprF/GFF/GGFGF/GF/GF/GPokeweed, CommonPMay-JulyFF/GG	Lespedeza, Sericea	Р	June-July	Р	P/F	P/F	G	G	P/F	P/F	F/G	F/G	Р	Х
Mint, PerillaAMay-JulyFFF/GGF/GGGGGGGMultiflora RosePApr-June or SeptPPPFGGFFF/GPassionflower, MaypopPMay-JulyPPPPP/FFPPPPlantain, Broadleaf or BuckhornPOct-Nov or Mar-AprF/GFF/GGFGF/GF/GF/GPokeweed, CommonPMay-JulyFF/GGG	Marshelder (Sumpweed)	Α	May-July	F/G	F/G	G	G	F	G	G	G	F	(83)	R
Multiflora RosePApr-June or SeptPPFGGFFF/GPassionflower, MaypopPMay-JulyPPPPP/FFPPPPlantain, Broadleaf or BuckhornPOct-Nov or Mar-AprF/GFF/GGFGF/GF/GF/GPokeweed, CommonPMay-JulyFF/GG<	Milkweed, Common	Р	July-Sept	Р	F	P/F	F	P/F	P/F	P/F	P/F	Р	Р	S
Passionflower, MaypopPPMay-JulyPPPP/FFPPPPlantain, Broadleaf or BuckhornPOct-Nov or Mar-AprF/GFF/GGFGF/GF/GF/GPokeweed, CommonPMay-JulyFF/GG/GGG	Mint, Perilla	Α	May-July	F	F	F/G	G	F/G	G	G			9703 (S
Plantain, Broadleaf or BuckhornPOct-Nov or Mar-AprF/GFF/GGFGF/GF/GF/GPokeweed, CommonPMay-JulyFF/GGGGPF/GF/GFRagweed, CommonAMay-JulyF/GG <td>Multiflora Rose</td> <td>Р</td> <td>Apr-June or Sept</td> <td>Р</td> <td>Р</td> <td>F</td> <td>G</td> <td>G</td> <td>F</td> <td>F</td> <td>F/G</td> <td>G</td> <td>Р</td> <td>Х</td>	Multiflora Rose	Р	Apr-June or Sept	Р	Р	F	G	G	F	F	F/G	G	Р	Х
Pokeweed, CommonPMay-JulyFF/GF/GF/GPF/GF/GF/GF/GF/GF/GF/GF/GF/GF/GF/GF/GF/GG	Passionflower, Maypop	(C)			Р	Р	P/F	F	Ρ				Ρ	Х
Ragweed, CommonAMay-JulyF/GG<	Plantain, Broadleaf or Buckhorn	Р	Oct-Nov or Mar-Apr	F/G	F		G	F			F/G	F/G	Р	Х
Ragweed, LanceleafAMay-JulyF/GGGG-GG-Sida, ArrowleafAMay-JulyPPPPFFFSneezeweed, BitterAMay-JulyF/GF/GGGGGGGGGSorrel, Red (Sheep Sorrel)PSept-Nov or MarPFF/GF/GFF/GSpurge, NoddingAJune-JulyPPPP/F-P/FGThistle, BullBOct-Nov or Feb-MarGGGGGGGThistle, CanadaPPrebud or Oct-NovPP/FFFP/FGGThistle, MuskBOct-Nov or Feb-MarGGGGGGG	Pokeweed, Common	Р	May-July		F/G	F/G	F/G	Р	F/G	F/G	F	Р	Ρ	S
Sida, ArrowleafAMay-JulyPPPFFFSneezeweed, BitterAMay-JulyF/GF/GGGGGGGSorrel, Red (Sheep Sorrel)PSept-Nov or MarPFF/GF/GFF/GSpurge, NoddingAJune-JulyPPPP/F-P/FGThistle, BullBOct-Nov or Feb-MarGGGGGGGThistle, CanadaPPrebud or Oct-NovPP/FFFP/FGGThistle, MuskBOct-Nov or Feb-MarGGGGGGGG	Ragweed, Common	Α	May-July		G			G	G		G	Ρ	G	R
Sneezeweed, BitterAMay-JulyF/GF/GGG<	Ragweed, Lanceleaf	Α	May-July	F/G	G	G	G		G	G	×	Р	-	R
Sorrel, Red (Sheep Sorrel)PSept-Nov or MarPFF/GF/GFF/GSpurge, NoddingAJune-JulyPPPPP/F-P/FGThistle, BullBOct-Nov or Feb-MarGGGGF/GGGThistle, CanadaPPrebud or Oct-NovPP/FFFP/FGGGThistle, MuskBOct-Nov or Feb-MarGGGGF/GGG	Sida, Arrowleaf		May-July				100	1977/2010					E	R
Spurge, NoddingAJune-JulyPPPP/F-P/FP/FGThistle, BullBOct-Nov or Feb-MarGGGGF/GGGGThistle, CanadaPPrebud or Oct-NovPP/FFFP/FGGGGThistle, MuskBOct-Nov or Feb-MarGGGGF/GGGG			May-July				G		G	G				R
Thistle, BullBOct-Nov or Feb-MarGGGGF/GGGThistle, CanadaPPrebud or Oct-NovPP/FFFP/FGGGThistle, MuskBOct-Nov or Feb-MarGGGGGGGG							200 C 100 C	412				F/G	Р	Х
Thistle, CanadaPPrebud or Oct-NovPP/FFFP/FGGGThistle, MuskBOct-Nov or Feb-MarGGGGF/GGG					9 9	0.000		9			S 10.52	G	-	R
Thistle, Musk B Oct-Nov or Feb-Mar G G G G F/G G G G G					200 - C				-			F/G	Р	R
												F	р	S
Thistle, Plumeless B Oct-Nov or Feb-Mar G G G G F/G G G G G			Oct-Nov or Feb-Mar		1200						2752	F/G	Р	R
			Oct-Nov or Feb-Mar		G					1000/	G	F/G	Р	R
Tickclover (Desmodium spp.) P June-Aug P - F F/G F/G F/G F/G -	Tickclover (Desmodium spp.)										11.52	■	Р	R
Trumpetcreeper P Aug-Sept P P P/F F F P P -	Trumpetcreeper	Р	Aug-Sept	P	Р	P/F	F	F	Ρ	Р	1744	Р	Ρ	Х

Control: **G** = Good or Excellent; **F** = Fair (suppression or partial control); **P** = Poor; - = No Information

¹ Life Cycle: **A** = Annuals; **P** = Perennials; **B** = Biennials

² The preferred time for herbicide treatment will depend on environmental conditions and other factors.

³ May cause temporary yellowing, stunting and seedhead suppression of tall fescue (consult label). Metsulfuron is an active ingredient in several products (e.g. Chaparral, MSM60, Patriot, Purestand).

⁴ Mowing: \mathbf{R} = Timely mowing reduces top growth and seed production; \mathbf{S} = Suppression of top growth; \mathbf{X} = Not very effective

Note: This table should be used only as a guide for comparing the relative effectiveness of herbicides to a particular weed. The herbicide may perform better or worse than indicated in the table depending on the species, weed size, time of application, and/or extreme weather conditions. Consult herbicide label for weed height or growth stage and product amount. Read and follow all label directions and precautions before herbicide application.

Adapted from Weed Management in Grass Pastures, Hayfields, and Other Farmstead Sites (AGR-172; revised 3-2021). Available at http://ww2.ca.uky. edu/agcomm/pubs/agr/agr172/agr172.pdf.

Listing of pesticide products implies no endorsement by the University of Kentucky or its representatives. Criticism of products not listed is neither implied nor intended.

Educational programs of Kentucky Cooperative Extension serve all people regardless of economic or social status and will not discriminate on the basis of race, color, ethnic origin, national origin, creed, religion, political belief, sex, sexual orientation, gender identity, gender expression, pregnancy, marital status, genetic information, age, veteran status, or physical or mental disability. Issued in further ance of Cooperative Extension work, Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Nancy M. Cox, Director of Cooperative Extension Programs, University of Kentucky College of Agriculture, Food and Environment, Lexington, and Kentucky State University, Frankfort. Copyright © 2021 for materials developed by University of Kentucky Cooperative Extension. This publication may be reproduced in portions or its entirety for educational or nonprofit purposes only. Permitted users shall give credit to the author(s) and include this copyright notice. Publications are also available on the World Wide Web at www.ca.uky.edu.



Carter County 94 Fairground Drive Grayson, KY 41143

RETURN SERVICE REQUESTED

PRESORTED **STANDARD US POSTAGE PAID** GRAYSON, KY PERMIT #94

FEBRUARY 2023

CARTER COUNTY AGRICULTURE & NATURAL RESOURCES NEWSLETTER

WHAT'S INSIDE:

5-7

4-5

Upcoming Events	Pg 1
NEALA Cattle Meeting	Pg 2
Beekeepers Meeting	Pg 2
Beef Palpation Clinic	Pg 2
Farmer's Market Trainir	ng Pg 2
Beef Webinar	Pg 2
Hike & Learn	Pg 3
Predator Control Works	hop Pg 3
Poultry Webinars	Pg 3
Tobacco GAP Options	Pg 3
FSA News	Pg 4
KY Sales Tax on Utilities	Pg 4-
Forestry Event	Pg 5
Ag Census Reminder	Pg 5
Weeds of the Month	Pg 5-

The College of Agriculture, Food and Environment is an Equal Opportunity Organization with respect to education and employment and authorization to provide research, education information and other services only to individuals and institutions that function without regard to economic or social status and will not discriminate on the bases of race, color, ethnic origin, creed, religion, political belief, sex, sexual orientation, gender identity, gender expression, pregnancy, marital status, genetic information, age, veteran status, or physical or mental disability. Inquiries regarding compliance with Title VI and Title VII of the Civil Rights Act of 1964, Title IX of the Educational Amendments, Section 504 of the Rehabilitation Act and other related matter should be directed to Equal Opportunity Office, College of Agriculture, Food and Environment, University of Kentucky, Room S-105, Agriculture Science Building, North Lexington, Kentucky 40546, the UK Office of Institutional Equity and Equal Opportunity, 13 Main Building, University of Kentucky, Lexington, KY 40506-0032 or US Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410.